

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	190	assign\$3 available IP address DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:43
L2	4	1 (random OR (round ADJ robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:43
L3	537	(round ADJ robin)NEAR4 assign\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:44
L4	1	3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:44
L5	3733	random NEAR4 assign\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:44
L6	7	5 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:51
L7	954	user NEAR2 defin\$3 NEAR4 assign\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:44
L9	1	7 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:45
L10	169	socket (re\$1bind\$3 OR re\$1use\$3 OR re\$1bound\$3) (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:46

L11	24	socket (re\$1bind\$3 OR re\$1use\$3 OR re\$1bound\$3) (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/12 09:46
L12	88	5 AND socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:51
L13	6	12 AND thread process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/12 09:51
S1	8	((("6622159") or ("6802065") or ("6192389") or ("6754701"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 18:27
S2	13028	(709/203,217,218,219,227,228,232,236).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 09:43
S3	2	(Free\$3 OR Releas\$3) NEAR4 socket NEAR6 virtual NEAR4 connection NEAR5 transfer\$3 NEAR5 (data OR information OR messages) NEAR5 application NEAR5 (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:09
S4	2	(Free\$3 OR Releas\$3) SAME socket SAME virtual SAME connection SAME transfer\$3 SAME (data OR information OR messages) SAME application SAME (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:10
S5	3	(Free\$3 OR Releas\$3) SAME socket SAME virtual SAME connection SAME transfer\$3 SAME (data OR information OR messages)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:11
S6	48	(Free\$3 OR Releas\$3) SAME socket SAME virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:12
S7	1	((Free\$3 OR Releas\$3) SAME socket SAME virtual) SAME finish\$3 SAME TRANSFER\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:13

S8	48	creat\$3 WITH releas\$3 WITH socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:14
S9	173693	(finish\$3 OR complet\$3)WITH (transmit\$4 OR transfer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:15
S10	3	(creat\$3 WITH releas\$3 WITH socket) AND ((finish\$3 OR complet\$3)WITH (transmit\$4 OR transfer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:16
S11	123	releas\$3 NEAR3 socket NEAR3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:17
S12	43	assign\$3 NEAR3 socket NEAR4 application	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:17
S13	5	((709/203,217,218,219,227,228,232,236).CCLS.) AND (releas\$3 NEAR3 socket NEAR3 connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:17
S14	10	((709/203,217,218,219,227,228,232,236).CCLS.) AND (assign\$3 NEAR3 socket NEAR4 application)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:39
S15	1	(socket WITH assignment)SAME (random OR (round ADj robin) OR (user NEAR2 defin\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:41
S16	19	(socket WITH assign\$4)SAME (random OR (round ADj robin) OR (user NEAR2 defin\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:51
S17	1	random WITH socket WITH assignment	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:53
S18	11	random\$3 WITH socket WITH assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:56
S19	165	socket WITH assign\$4 WITH application	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:57

S20	18	(socket WITH assign\$4 WITH application) AND ((709/203,217,218,219,227,228,232,236).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 12:59
S21	11	((socket WITH assign\$4 WITH application) AND ((709/203,217,218,219,227,228,232,236).CCLS.)) AND (transfer\$3 NEAR3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 13:01
S22	6	(parallel NEAR3 data NEAR3 transfer\$4)SAME(multipl\$5 OR plural\$3) SAME socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 13:33
S23	2	socket NEAR2 pair NEAR4 TECHNIQUE	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 13:39
S24	9	BOUND\$3 near3 SOCKET near3 (APPLICATION OR (SERVER adj APPLICATION))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:13
S25	1883	("same" OR single OR one) NEAR4 ((virtual NEAR connection) OR (socket NEAR connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:18
S26	882118	(plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:28
S27	67	((("same" OR single OR one) NEAR4 ((virtual NEAR connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:18
S28	32	((("same" OR single OR one) NEAR4 ((virtual NEAR connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread))) AND @ad<"20010626"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:18
S29	2	creating NEAR plurality NEAR3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/11/04 14:28
S30	2	releas\$3 NEAR3 socket	IBM_TDB	OR	ON	2004/11/04 18:16
S31	105	fault NEAR2 tolerance	IBM_TDB	OR	ON	2004/11/04 18:17
S32	1	socket AND (round NEAR2 robin)	IBM_TDB	OR	ON	2004/11/04 18:18

S33	8	socket AND thread AND process AND application AND server	IBM_TDB	OR	ON	2004/11/04 18:20
S34	3544	parallel NEAR3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:21
S35	114	(parallel NEAR3 socket) SAME (thread OR process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:22
S36	1	((parallel NEAR3 socket) SAME (thread OR process)) SAME bind\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:23
S37	58	parallel WITH socket WITH process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:24
S38	1	(parallel WITH socket WITH process) AND (server NEAR application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:25
S39	7	(parallel WITH socket WITH process) AND server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 18:25
S52	437	socket(process OR thread)assig\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 09:18
S53	67	S52 (plural\$4 OR multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 09:20
S54	6	S53 (re\$1use OR re\$1bind\$3 OR bind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 09:21
S56	4	((("6802065") or ("6754701") or ("6622159") or ("6192389")).PN.	USPAT	OR	OFF	2004/11/08 10:56

S57	125	socket assignment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 11:03
S58	2	S57 dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 11:02
S59	18	S57 (plural\$3 OR multipl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 11:27
S63	195	socket assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 11:21
S64	18	S63 (plural\$3 OR multipl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 11:26
S65	170	(bind\$3 OR re\$1bind\$3) socket (application OR process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 11:27
S66	16	S65 (plural\$3 OR multipl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 11:28
S67	16561	resource (allocat\$3 OR assign\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 13:55
S68	83	S67 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 13:56
S69	19	S68 (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2004/11/08 14:05

S70	14669	creat\$3 NEAR2 (connection OR (virtual NEAR connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:06
S71	470	S70 SAME socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:07
S72	95	S71 SAME (process OR thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:07
S73	15	S72 AND multi\$1process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 14:07
S76	11	random\$2 assign\$3 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2004/11/08 16:09
S77	5148	plurality socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 17:01
S78	4	S77 (thread Or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 17:01
S79	8555	plurality NEAR2 socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 17:01
S80	6	S79 (thread Or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2004/11/08 17:01